


#UP1017

Cropped hoodie

Slip on this cropped hoodie for your next yoga session! Its relaxed fit is designed with a cross-over back, dropped shoulders and ribbed trims. Wear it with your favorite high waist leggings and a sports bra for a stylish outfit.

1 cm seam allowance included!



Material

- 180 x 150 cm of french terry
- 2.5 m of rib knit trim (14 cm wide)
- All-purpose thread
- Stretch needle
- Stretch twin needle
- 2x eyelets (0.8 cm wide)
- A small piece of interfacing
- 1.5 m of cord (0.6 cm wide)
- OPTIONAL: 2x aglets or cord stoppers

Print & Assemble

- First, be sure to use ACROBAT READER to open your PDF sewing patterns. It's free!
- Then, open your file and click on the LAYERS icon (left side of the screen) and uncheck all the sizes you won't need.
- Now, click on the PRINT icon at the top of the screen. The print settings will appear, so verify that the ACTUAL SIZE option is checked. Click on the PRINT button!
- A 5 x 5 cm (and 2 x 2") control square is provided to ensure that your pattern is true to size.
- To ASSEMBLE, cut the sheets at the bottom and right margins, as indicated. Each sheet is labelled with a letter and a number (AI, B2...), so tape them together in numerical and alphabetical order. The sheets on one row should have the same letter, and the ones on the same column should have the same number.

Sizing Guide

	XXS	XS	S	M	L	XL	XXL
Bust	85 cm	89 cm	93 cm	99 cm	105 cm	113 cm	121 cm
Waist	64 cm	68 cm	72 cm	78 cm	84 cm	92 cm	100 cm
Hips	92 cm	96 cm	100 cm	106 cm	112 cm	120 cm	128 cm

This pattern is drafted according to a standard height of **1.64 m**.

Garment measurements

• Length: approx. 51 cm



#UP1017

Cropped hoodie

Pattern Pieces

- Back, 2x fabric
- Back band, 2x rib
- Front, 1x fabric
- Front band, lx rib
- Sleeve, 2x fabric
- Hood, 2x fabric
- Cuff, 2x rib

Sewing Assembly

Unless otherwise specified, sew using a **1 cm** wide seam allowance.


- 1. Fold the back bands and sew to the backs (stretch to fit).
- 2. Overlap the backs to match the center back, and baste the neckline.
- 3. Fold the front band and sew to the front (stretch to fit).
- 4. Sew the shoulders.
- 5. Attach the sleeves.
- 6. Sew the front and back at the side seams, securing the seams at the bottom of the garment.
- 7. Sew the hood pieces together.
- 8. Install the eyelets on the hood pieces (see marking on pattern for placement). **Don't forget to to fuse around the eyelet placement before installing!
- 9. Hem the hood with the twin needle (turn once 3 cm).
- 10. Sew the hood to the neckline.
- 11. Assemble the cuffs and attach to the bottom of the sleeves (stretch to fit).
- 12. Thread the cord into the hood. Finish the ends with aglets, cord stoppers or knots.





Share a photo of you wearing proudly your new hoodie with


#unfetteredpatterns!


























































Sizes XXS-XXL Sleeve Cut x2 fabric SIZE KEY XXL XL L M S XS XXS XXS	Cut on this line	
Sleeve Cut x2 fabric SIZE XXL XL M S XS		
Sleeve		XXL XL L M S XS
Sleeve		
	Sleeve	

